



*Shown with optional camera bracket



NEXT PAGE



NEW! Longer Lasting Battery Life! Up To 21 hrs.







The Safe-View Kit Includes:

- LCD Monitor (7" or 9")
- Rechargeable Battery (21 hrs)
- Camera
- 2 Mounting Magnets (100 lbs test)

The Safe-View Features and Benefits:

- 7" or 9" LCD Monitor with 120 degree view angle camera
- Exceptionally clear picture
- Digital wireless system with built-in transmitters in the camera and display
- Automatic pairing capability with no interference from other cameras in the warehouse
- Night Vision technology so you can see clearly in low light or dark conditions
- Recording capability with the use of an SD card
- 7" or 9" display accomodates up to 4 cameras
- Built with water and impact resistant housing
- Can be mounted anywhere on the forklift including rear, overhead guard or carriage
- Easy installation and operation
- Camera view can be rotated in 90° intervals on each Monitor.

Specifications:

- LCD Monitor Size: 7" or 9"
- Power Supply: 12 48V
- Power Consumption: Maximum 6W
- Transmitting Distance: Approximately 100'
- Operating Temperature: -4 F to 155 F RH 90%
- Warranty: 1 Year

#SAFEVIEW-B Wireless Camera System with 7" Display 415.00
#SAFEVIEW-9-B Wireless Camera System with 9" Display\$455.00

Additional Options:

#SVCAM-B Extra Wireless Camera	\$ 150 .00
#SVBP-21-B Extra Rechargeable Battery Pack	\$ 125 .00
#SVSWITCH-B Camera Switch Option	\$ 50 .00
#SVCABLEREEL-B Camera Cable Reel	\$ 545 .00
#SVBRACKET-B Camera Bracket With Bumper.	

PREVIOUS PAGE



Optional Accessories









Optional Accessories





PREVIOUS PAGE NEXT PAGE









Monitor shows two camera views. One at the front of the lift truck and another mounted facing the rear. Up to 4 cameras can be paired to one monitor.

PREVIOUS PAGE

NEXT PAGE

Click on an area to view a few possible camera mounting locations for the Safe-View Camera System.





The Safe-View Camera can be mounted anywhere on the lift truck!

PREVIOUS PAGE NEXT PAGE

